

Test Report No. 4512225

Date : 19-Feb-2020

Page 1 of 7

**Client : Prepack Thailand Co., Ltd.**  
**30/145,Moo1,**  
**Khok Kham,Muang, Samutsakorn 74000 Thailand**

The following sample(s) was/were submitted and identified by client as:

Sample Name : PET/PP (A)  
Sample Description : Plastic Bag  
Manufacturer/Vendor : Prepack Thailand Co., Ltd.  
Country of Origin : Thailand

The following sample(s) was/were identified by SGS as:

SGS Sample No. : 4668490  
Sample Condition : Sample is contained in a plastic bag.  
Quantity Submitted : 1 bag

Sample Receiving Date : 4-Feb-2020  
Testing Period : 4-Feb-2020 to 19-Feb-2020

Test Method &amp; Results : Please refer to next page(s).

**This Test Report cancels and supersedes the Test Report No.4511999 Dated 19-Feb-2020 issued by SGS (Thailand) Ltd.**

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>*

*Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."*

*Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.*

**Test Report No.** 4512225

**Date :** 19-Feb-2020

**Page 2 of 7**

**Test Requested & Result Summary**

Test Requested : Please refer to the result summary (Test parameter(s) was/were selected by client).

**Result Summary:**

Test Requested	Conclusion
(1) Notification of the Ministry of Public Health (No.295) B.E. 2548 (2005) : Qualities or standard for container made from plastic a) Polypropylene (PP)	--
1. Lead content	PASS
2. Cadmium content	PASS
3. Heavy metal (as lead) in 4% concentrated acetic acid extraction	PASS
4. Quantity of potassium Permanganate Consumed	PASS
5. Residue after Evaporation Test	PASS
6. Migration of color Extraction	PASS
(2) Additional request by client's	
1. Antimony in 4% concentrated acetic acid extraction	SEE RESULT
2. Germanium in 4% concentrated acetic acid extraction	SEE RESULT

Remark: Test results in this report are applicable for the item tested and reflects the tested sample as received.

**Signed for and on behalf of  
SGS (Thailand) Limited**



**Rutchuporn Mungsom  
Laboratory manager - Toy and Hardgood**

**This Test Report cancels and supersedes the Test Report No.4511999 Dated 19-Feb-2020 issued by SGS (Thailand) Ltd.**

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4213938

**Test Report No.** 4512225

**Date :** 19-Feb-2020

**Page 3 of 7**

**TEST RESULTS**

**(1) Notification of the Ministry of Public Health (No.295) B.E. 2548 (2005) : Qualities or standard for container made from plastic.**

**a) Polypropylene (PP)**

**Qualities and standard of plastic**

Method : With reference to TIS 656: 2556. Analysis was performed by ICP-OES.

Details	Result (1) (mg/kg)	Limit of Quantitative (mg/kg)	Permissible Limit (mg/kg)
Lead content	<2	2.0	100
Cadmium content	<2	2.0	100

Sample Description :

1. Clear plastic with multicolor printed

Note :

1. mg/kg = milligram per kilogram
2. < = Less than

**This Test Report cancels and supersedes the Test Report No.4511999 Dated 19-Feb-2020 issued by SGS (Thailand) Ltd.**

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4213938

**Test Report No.** 4512225

**Date :** 19-Feb-2020

**Page 4 of 7**

**TEST RESULTS**

**Qualities and standard of dissemination**

Method : With reference to TIS 656: 2556.

Details	Test Condition	Result (1) (mg/dm3)	Limit of Quantitative (mg/dm3)	Permissible Limit (mg/dm3)
Heavy metal (calculated as lead) in 4% concentrated acetic acid extraction	30 minute at 60 degree C	<1	--	1
Potassium permanganate used for reaction in water extraction	30 minute at 60 degree C	<1	1.0	10
Residue substances which is evaporate in water	30 minute at 60 degree C	<3	3.0	30
Residue substances which is evaporate in 4% concentrated acetic acid	30 minute at 60 degree C	<3	3.0	30
Residue substances which is evaporate in 20% concentrated alcohol	30 minute at 60 degree C	<3	3.0	30
Residue substances from volatile matters in normal heptane	Room temperature (1 hr. at 25 degree C)	<3	3.0	150

**Sample Description :**

1. Clear plastic (inside)

**Note :**

1. mg/dm3 = milligram per cubic decimeter
2. Degree C = degree Celsius
3. < = Less than

**This Test Report cancels and supersedes the Test Report No.4511999 Dated 19-Feb-2020 issued by SGS (Thailand) Ltd.**

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Report No.** 4512225

**Date :** 19-Feb-2020

**Page 5 of 7**

**TEST RESULTS**

**Qualities and standard of dissemination**

Test Method : With reference to TIS 655 -1 : 2553

Details	Test Condition	Result (1)	Permissible Limit
Migration of color extract by water	30 minute at 60 degree C	Negative (See Note 2)	Negative
Migration of color extract by 4% concentrated acetic acid	30 minute at 60 degree C	Negative (See Note 2)	Negative
Migration of color extract by 20% concentrated alcohol	30 minute at 60 degree C	Negative (See Note 2)	Negative
Migration of color extract by normal heptanes	Room temperature (1 hr. at 25 degree C)	Negative (See Note 2)	Negative

Sample Description :

1. Clear plastic (inside)

Note :

1. Degree C = degree Celsius
2. "Negative" mean it's not presence of color migration/ "Positive" mean it's presence of color migration

**This Test Report cancels and supersedes the Test Report No.4511999 Dated 19-Feb-2020 issued by SGS (Thailand) Ltd.**

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Report No.** 4512225

**Date :** 19-Feb-2020

**Page 6 of 7**

**TEST RESULTS**

**(2) Additional request by client's**

**Qualities and standard of dissemination**

Method : With reference to TIS 656: 2556

Details	Test Condition	Result (1) (mg/dm <sup>3</sup> )	Limit of Quantitative (mg/dm <sup>3</sup> )	Permissible Limit** (mg/dm <sup>3</sup> )
Antimony	30 minute at 60 degree C	<0.02	0.02	0.05
Germanium	30 minute at 60 degree C	<0.02	0.02	0.10

**Sample Description :**

1. Clear plastic (inside)

**Note :**

1. mg/dm<sup>3</sup> = milligram per cubic decimeter
2. Degree C = degree Celsius
3. < = Less than
4. \*\*Permissible limit is quoted from Notification of the Ministry of Public Health (No.295) B.E. 2548 (2005) :Qualities or standard for container made from plastic ,Polyethylene terephthalate (PET).

**This Test Report cancels and supersedes the Test Report No.4511999 Dated 19-Feb-2020 issued by SGS (Thailand) Ltd.**

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report No. 4512225

Date : 19-Feb-2020

Page 7 of 7

SAMPLE/ATTACHMENT PICTURE



\*\*\*\*\* End of Report \*\*\*\*\*

This Test Report cancels and supersedes the Test Report No.4511999 Dated 19-Feb-2020 issued by SGS (Thailand) Ltd.

"Any holder of this document is advised that should client or third party information be supplied with respect to the goods or sample, SGS may, at its discretion, attached or indicate such information to the report but SGS makes no warranties or accepts no liable for the veracity or lack thereof of such Information."

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4213938